

Engineered to keep going – long after other discs have called it quits!

Cut your toughest jobs down to size – with 3M Cubitron II Flap Discs!





3M™ Cubitron™ II Flap Discs – the one-step alternative to bonded wheels and fibre discs.

You use flap discs because versatility and final finish is important. You choose Cubitron II Flap Discs with precision-shaped grain because you value their extra cutting power on all metal types, on all kinds of jobs, including:

- Grinding
- Surface prep
- Blending
- Beveling
- Finishing
- Deburring
- Spatter removal
- Edge chamfering


Flap discs are three-dimensional grinding discs consisting of overlapping layers of abrasive-coated flaps attached to a central hub. These flaps continually wear away with use to expose fresh mineral for a fast, consistent cut.

Now you can experience the cutting power of 3M precisionshaped grain technology – in a versatile, long-lasting flap disc construction!

The science of precision-shaped grain



3M precision-shaped grain uses 3M microreplication technology to form sharp peaks that easily "slice" through metal — cutting cooler, faster and lasting longer than conventional abrasive grain.



Conventional ceramic abrasive grain tends to "plow" through the metal, causing heat to build up in the workpiece and the abrasive — resulting in a slower cut and shorter disc life.





3M™ Cubitron™ II 967A

Constructed with a poly-cotton backing that exposes fresh mineral as it wears, for a fast cut. Performs well on many common applications, offering a great balance of fast cut and long life.

3M™ Cubitron™ II 969F

The ideal choice for one-step grinding and finishing. Featuring a tough polyester backing, to hold up under demanding applications like heavy grinding, edge deburring and beveling.

Choose the right disc for the job:





Medium Duty

- Weld removal
- Scale removal
- Oxide removal
- Surface prep
- Metal dimensioning
- Blending
- Light cleaning

Heavy Duty

- Beveling
- Edge deburring
- Aggressive weld removal

Wherever there's a tough job that needs doing, Cubitron II flap discs help you do it faster!

Transportation

- Ship and boat building
- Automotive
- Truck and rail

Fabricated Metals

- Structural steel
- Sheet metal
- Machine shops
- Pipe and tank

Machinery Manufacturing

- Farm and construction equipment
- Industrial machinery
- Oil and gas
- Food processing

Tech Tip

3M Cubitron II Flap Discs will often produce a finish equivalent to the next-finer grade of a fibre disc (i.e., a 60 grit flap disc will usually leave a finish similar to an 80 grit fibre disc) – saving you time and finishing steps!

Product Availability

3M™ Cubitron™ II Flap Discs 967A

3M™ Cubitron™ II Flap Discs 969F

		TYPE 27					TYPE 29					TYPE 27					TYPE 29		
UPC (051141-) unless otherwise specified	Grade	Dia. x Ctr. Hole (inches)	Max RPM (MOS)	Qty/ Case	UPC (051141-) unless otherwise specified		Dia. x Ctr. Hole (inches)	Max RPM (MOS)	Qty/ Case	UPC (076308-) unless otherwise specified	Grade	Dia. x Ctr. Hole (inches)	Max RPM (MOS)	Qty/ Case	UPC (076308-) unless otherwise specified	Grade	Dia. x Ctr. Hole (inches)	Max RPM (MOS)	Qty/ Case
55602-4	40+	41/2 × 5/8-11	13,300	10	55614-7	40+	4×3/8-24	15,000	10	64373-7	40+	41/2 × 5/8-11	13,300	10	64385-0	40+	4 × 3/8-24	15,000	10
55603-1	60+				55615-4	60+				64374-4	60+				64386-7	60+			
55604-8	80+				55616-1 55617-8	80+ 40+				64375-1	80+				64387-4	+08			
55632-1	40+				55618-5	60+	4 × 5/8	15,000	10	64403-1	40+				64388-1	40+	4 × 5/8 41/2 × 5/8-11	15,000	
		4½ × 5/8-11 GIANT	13,300	10	55619-2	80+	4 / 9/0	15,000	10	64404-8	60+	41/2 × 5/8-11 GIANT	13,300	10	64389-8	60+			
55633-8	60+				55620-8	40+	41/2 × 5/8-11	1 13,300	10						64390-4	80+			
55634-5	80+				55621-5	60+				64405-5	80+				64391-1 64392-8	40+ 60+			
55605-5	40+	41⁄2×7⁄8	13,300	10	55622-2	80+				64376-8	40+	41/2×7/8	13,300	10	64393-5	80+	472 × 9/0-11	13,300	10
55606-2	60+				55644-4	40+	41/2 × 5/8-11 GIANT	13,300	10	64377-5	60+				64415-4	40+	4½ × 5/8-11	13,300	
55607-9	80+				55645-1					64378-2	80+				64416-1	60+			10
55635-2	40+	41/2 × 7/8 GIANT	13,300	10	55646-8 55623-9	80+ 40+	41/2 × 7/8	13,300	10	64406-2	40+	41/2 × 7/8 GIANT 5×7/8	13,300		64417-8	80+	GIANT		
55636-9	60+				55624-6	60+				64407-9	60+				64394-2	40+	41/2 × 7/8	13,300	
					55625-3	80+									64395-9	60+			
55637-6	80+				55647-5	40+	.4. 7.	13,300	10	64408-6	80+				64396-6	80+			
86715-3	40+	5×7/8	12,000	10	55648-2	60+	41/2 × 7/8 GIANT			89844-1	40+				64418-5	40+			
051125- 86718-4	60+				55649-9	80+				89847-2	60+				64419-2	60+			
051125- 86719-1	80+				051125- 86716-0	40+		12,000	10	89848-9	80+				64420-8	80+			
55608-6	40+	7× 5/8-11	8,600	5	051125-		5 × 7/8			64379-9	40+	7×5/8-11	8,600	5	89845-8	40+	5 × 7/8	12,000	10
55609-3	60+				86717-7	60+				64380-5	60+				89846-5	60+			
					051125- 86720-7	80+				64381-2	80+				89849-6	80+			
55610-9	80+				55626-0	40+									64397-3	40+	- 7 × 5/0 44	9.600	5
55638-3	40+	7 × 5/8-11 GIANT	8,600	5	55627-7	60+	7×5/8-11	8,600	5	64409-3	40+	7× 5/8-11 GIANT	8,600	5	64398-0 64399-7	60+ 80+	7 × 5/8-11	8,600	5
55639-0	60+				55628-4					64410-9	60+				64421-5	40+			
55640-6	80+				55650-5	40+	7 F 10 44			64411-6	80+				64422-2	60+	7 × 5/8-11	8,600	5
55611-6	40+	7 × 7/8	8,600	5	55651-2	60+	7 × 5/8-11 GIANT 7 × 7/8	8,600		64382-9	40+	7×7/8	8,600	5	64423-9	80+	GIANT	0,000	J
55612-3	60+				55652-9	80+				64383-6	60+				64400-0	40+	7 × 7/8	8,600	5
55613-0	80+				55629-1	40+		8,600		64384-3	80+				64401-7	60+			
					55630-7 55631-4	60+ 80+									64402-4	80+			
55641-3	40+	7×7/8 GIANT	8,600	5	55653-6		7×7/8 GIANT	8,600	5	64412-3	40+	7 × 7/8 GIANT	8,600	5	64424-6	40+	7 × 7/8 GIANT	8,600	
55642-0	60+				55654-3	60+				64413-0	60+				64425-3	60+			5
55643-7	80+				55655-0	80+				64414-7	+08				64426-0	80+			

Need more cutting power? Go GIANT!

Our Giant flap discs are 25% thicker, for an aggressive cut with added durability and longer life.

More material. Longer life.



Warranty, Limited Remedy, and Disclaimer: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. User is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



Abrasive Systems Division 3M Center, Building 223-6S-03 St. Paul, MN 55144-1000 1-866-279-1235 www.3M.com/abrasives



3M and Cubitron are trademarks of 3M Company. Used under license by 3M subsidiaries and affiliates.