



Science.
Applied to Life.™



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com



2018 Safety Essentials

Your “go-to” guide for the best-selling
3M™ Safety Products



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com

Table of Contents



Disposable
Respirators



Reusable
Respirators



Powered
Air Purifying
Respirators



Welding



Hearing
Solutions



3M™ PELTOR™
Solutions



Eye
Protection



Head & Face
Protection



Fall Protection
for Workers



Fall Protection
for Tools



Coveralls



Reflective
Material



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com

Suggested industry uses for products in this catalog are just a starting point for selecting appropriate PPE; safety managers need to determine appropriate PPE based on their unique work environments.

Reliable protection. All-day comfort.

- ▶ Lightweight and comfortable
- ▶ Adjustable noseclips to help provide custom seal
- ▶ Variety of strap types and attachments
- ▶ Some available with carbon filter material for nuisance level organic vapor relief*

Pick your protection.

Classics



3M™ Respirator 8210

- ▶ Advanced Electrostatic Media technology enhances particulate capture while reducing breathing resistance
- ▶ Designed with welded strap attachment, soft nose foam, and adjustable noseclip to help ensure a secure custom seal



3M™ Respirator 8511

- ▶ Proprietary 3M™ Cool Flow™ Exhalation Valve to help reduce heat build-up inside the respirator
- ▶ Suited for hot, humid environments, or for long periods of wear

Alternative Designs



3M™ VFlex™ Respirator 9105

- ▶ Economical
- ▶ Proprietary V-shaped pleats help make breathing easier and flex with mouth movement for easier talking



3M™ Respirator 8210V

- ▶ Economical
- ▶ Valved respirator
- ▶ Proprietary 3M™ Cool Flow™ Exhalation Valve to help reduce heat build-up inside the respirator



3M™ Aura™ Respirator 9210+

- ▶ Three-panel respirator helps deliver comfortable, reliable worker protection against non-oil based particles

Enhanced Functionality



3M™ Respirator 8515

- ▶ Economical
- ▶ For welders
- ▶ Welding web
- ▶ Adjustable M-Noseclip helps provide a custom fit and secure seal
- ▶ Braided headbands



3M™ Respirator 8577

- ▶ For protection against certain oil and non-oil based particles – including those with nuisance levels of organic vapors such as certain solvents, degreasers and resins*

*3M recommended for relief against nuisance level acid gas or organic vapors. Nuisance levels are less than OSHA PEL or applicable government occupational exposure limits, whichever is lower.



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com

NOTE: Customers in the following industries may be interested in the following products: Construction, Utilities, Transportation (includes Heavy Manufacturing and Machinery), Government/Healthcare (when fluid resistance is not needed) and Chemical/Pharmaceutical industries.

SKU (3M ID)	UPC Bill Unit	Prod No.	Item Description	Quantity/Case
70070614394	50051138464573	8210	3M™ Particulate Respirator 8210, N95	160/Case
70071606589	50051131497110	8210V	3M™ Particulate Respirator 8210V, N95	80/Case
70070757557	50051138543438	8511	3M™ Particulate Respirator 8511, N95	80/Case
70070890028	50051131071891	8515	3M™ Particulate Welding Respirator 8515/07189(AAD), N95	80/Case
70071563897	50051131173977	9105	3M™ VFlex™ Particulate Respirator 9105, N95	400/Case
GT500072985	50051131371922	9210+	3M™ Aura™ Particulate Respirator 9210+/37192(AAD), N95	240/Case
70070710838	50051138542851	8271	3M™ Particulate Respirator 8271, P95	80/Case
70070757946	50051138543711	8577	3M™ Particulate Respirator 8577, P95 with Nuisance Level Organic Vapor Relief	80/Case



Tips for correctly positioning the respirator on the face and head:

Always follow the appropriate user and donning instructions for the specific model.

- ▶ Upper strap should be positioned on the crown of the head
- ▶ Lower strap should be positioned around the neck and below the ears
- ▶ Noseclip should be completely molded to the shape of the nose using two hands
- ▶ Always conduct a user seal check prior to each wearing

Featured Technologies

3M's technological benefits help you match the right respirator to your environment.



Advanced Electrostatic Media

Breathe easier! Proprietary filter media allows greater air flow while capturing more contaminants in the electrostatically-charged microfibers.



Cool Flow™ Exhalation Valve

Proprietary one-way valve for easy exhalation and cool comfort.



M-Noseclip

Easily adjustable for fewer pressure points and greater comfort.



P-Series Filter

Get prolonged protection in oil environments, made possible with proprietary Advanced Electrostatic Media.



Adjustable Buckle Straps

Get a comfortable, secure seal fast, with a single tug.



Welding Web

Unique filter media incorporating protective layers designed to be flame resistant as demonstrated per ASTM D2859-96. (Not a substitute for a faceshield.)



Carbon Filter Material

Greater comfort, more relief from odors, vapors and other gaseous contaminants. For nuisance level relief only.*

Safety and comfort built for the extreme.

3M's full line of reusable respirators is the result of decades of research and development with one goal in mind: to tackle the world's most difficult respiratory protection challenges. You can breathe easier knowing we have the technology and experience to help you work safely and effectively in even the most demanding environments.

Pick your protection.

3M™ Half Facepiece Reusable Respirator 6000 Series



Soft, lightweight facepiece offering an effective combination of comfort and convenience.

3M™ Rugged Comfort Half Facepiece Reusable Respirator 6500QL Series



Overmolded, low-profile design offers simplified cleaning, resilience and compatibility with certain welding and grinding shields.

3M™ Half Facepiece Reusable Respirator 7500 Series



The ultimate in comfort and durability for all-day respiratory protection.

3M™ Full Facepiece Reusable Respirator 6000 Series



A superior combination of protection features and comfort for a lightweight, well-balanced full facepiece design.

3M™ Ultimate FX Full Facepiece Reusable Respirator FF-400 Series



This full facepiece design was developed to maximize comfort, durability and visibility with unique features that make it the optimal choice for a variety of industrial applications.

3M™ Full Facepiece Reusable Respirator 7800S Series



This durable full facepiece respirator has an optional clip-on welding faceshield kit for use in welding applications.

Featured Respiratory Technologies



Passive Speaking Diaphragm



3M™ Quick Latch



3M™ Scotchgard™ Protector



Adjustable Head Harness Assembly



Large Lens



Comfortable Silicone Face Seal



3M™ Cool Flow™ Valve



Low-Profile Design



3M™ Bayonet Connection System



Supplied Dual Airline Applications

▶ Learn more



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES
817-529-7710 | orders@blendsupply.com

NOTE: Customers in the following industries may be interested in the following products: Construction, Utilities, Transportation (includes Heavy Manufacturing and Machinery), Government/Healthcare and Chemical/Pharmaceutical industries.

	SKU (3M ID)	UPC Bill Unit	Prod No.	Item Description	Qty/Case	
Facepieces	70070315539	50051131070245	6100	3M™ Half Facepiece Reusable Respirator 6100/07024(AAD), Small	24/Case	
	70070315547	50051131070252	6200	3M™ Half Facepiece Reusable Respirator 6200/07025(AAD), Medium	24/Case	
	70070315554	50051131070269	6300	3M™ Half Facepiece Reusable Respirator 6300/07026(AAD), Large	24/Case	
	70071621828	50051131494881	6501QL	3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator 6501QL / 49488, Small	10/Case	
	70071621844	50051131494904	6502QL	3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator 6502QL / 49490, Medium	10/Case	
	70071621869	50051131494928	6503QL	3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator 6503QL / 49492, Large	10/Case	
	70071042777	50051131370819	7501	3M™ Half Facepiece Reusable Respirator 7501/37081(AAD), Small	10/Case	
	70071042785	50051131370826	7502	3M™ Half Facepiece Reusable Respirator 7502/37082(AAD), Medium	10/Case	
	70071042793	50051131370833	7503	3M™ Half Facepiece Reusable Respirator 7503/37083(AAD), Large	10/Case	
	70070709046	50051138541458	6700	3M™ Full Facepiece Reusable Respirator 6700, Small	4/Case	
	70070709053	50051138541465	6800	3M™ Full Facepiece Reusable Respirator 6800, Medium	4/Case	
	70070709186	50051138541595	6900	3M™ Full Facepiece Reusable Respirator 6900, Large	4/Case	
	70071510773	50051135894182	FF-401	3M™ Ultimate FX Full Facepiece Reusable Respirator FF-401, Small	4/Case	
	70071510807	50051135894212	FF-402	3M™ Ultimate FX Full Facepiece Reusable Respirator FF-402, Medium	4/Case	
	70071510831	50051135894243	FF-403	3M™ Ultimate FX Full Facepiece Reusable Respirator FF-403, Large	4/Case	
	Filters/Cartridges	70070710259	00051138542573	7800S-S	3M™ Full Facepiece Reusable Respirator 7800S-S, Small, Silicone	1/Case
		70070710267	00051138542580	7800S-M	3M™ Full Facepiece Reusable Respirator 7800S-M, Medium, Silicone	1/Case
70070710275		00051138542597	7800S-L	3M™ Full Facepiece Reusable Respirator 7800S-L, Large, Silicone	1/Case	
70070614410		50051131070009	2091	3M™ Particulate Filter 2091/07000(AAD), P100	100/Case	
70070710945		50051131071846	2097	3M™ Particulate Filter 2097/07184(AAD), P100 with Nuisance Level Organic Vapor Relief	100/Case	
70071533957		50051131171706	2291	3M™ Advanced Particulate Filter 2291, P100	100/Case	
70071533973		50051131171720	2297	3M™ Advanced Particulate Filter 2297, P100 with Nuisance Level Organic Vapor Relief	100/Case	
70070614477		50051138464641	5N11	3M™ Particulate Filter 5N11, N95	100/Case	
70070757417		50051131071945	5P71	3M™ Particulate Filter 5P71/07194(AAD), P95	100/Case	
70070190734		50051138176681	501	3M™ Filter Retainer 501	100/Case	
70070316776		50051138216745	6001	3M™ Organic Vapor Cartridge 6001	60/Case	
70070316750		50051131070474	6003	3M™ Organic Vapor/Acid Gas Cartridge 6003/07047(AAD)	60/Case	
70070709475		50051138541861	6006	3M™ Multi Gas/Vapor Cartridge 6006	60/Case	
70070614485		50051138464658	60921	3M™ Organic Vapor Cartridge/Filter 60921, P100	60/Case	
70070614501		50051138464672	60923	3M™ Organic Vapor/Acid Gas Cartridge/Filter 60923, P100	60/Case	
70070709483		50051138541878	60926	3M™ Multi Gas/Vapor Cartridge/Filter 60926, P100	60/Case	
Other/Accessories		70070709103	50051131071426	6885	3M™ Faceshield Cover 6885/07142(AAD)	100/Case
	70071674736	00051141567884	FF-400-18	3M™ Stacked Lens Cover FF-400-18	20/Case	
	70070317139	50051131070658	504	3M™ Respirator Cleaning Wipe 504/07065(AAD)	500/Case	

Go with the flow.

In tough environments, workers need equipment that delivers protection from a wide range of workplace respiratory hazards such as those found in pharmaceutical manufacturing, factories, and healthcare.

The 3M™ Versaflo™ Powered Air Purifying Respirator (PAPR) system is engineered for versatility and customization, so that safety managers can build the system that works for their employees by choosing from a wide range of headgear, breathing tubes and air sources.

Build the PAPR system that works for your environment.

See comparison chart for 3M™ Versaflo™ Powered Air Purifying Systems TR-300 vs. TR-600.

[▶ Download Here](#)

TR-300+

High Efficiency (HEPA) filter only



TR-600

HEPA filter plus multiple chemical cartridge options



Respiratory protection is one of the top five most frequently cited OSHA violations*

Tackle workplace hazards with a respiratory protection solution that can help bring safety, comfort and convenience to the job.

- ▶ 3M PAPRs deliver filtered air all shift long.
- ▶ PAPR components are designed to work securely together and certain configurations can combine head, eye, face and respiratory protection.
- ▶ With the ANSI standard in mind, 3M designed certain headtops with integrated face shields to help reduce eye injuries when used in conjunction with eye protection.

What you can count on with certain Versaflo PAPR systems:



Quick to assemble and disassemble.



Intuitive user interface. (Blue components represent user touch points.)



Low battery and low flow alarms.

In addition to providing respiratory protection, PAPR systems can help bring safety, comfort and convenience to the job.



PAPR components are designed to work securely together and certain configurations can combine head, eye, face and respiratory protection.



PAPR systems put convenience front and center. Workers with limited facial hair may be accommodated with certain headtops.



3M PAPRs deliver filtered air all shift long.



With the ANSI standard in mind, 3M designed certain headtops with integrated face shields to help reduce the risk of exposure to eye injuries.**

*U.S. Department of Labor. *Top Ten Standards*. OSHA 28 Oct. 2014. https://www.osha.gov/Top_Ten_Standards.html

**Headtops designed with integrated faceshields should be considered secondary eye protection and used in conjunction with safety glasses.





BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES
817-529-7710 | orders@blendsupply.com

*Customers in the following industries may be interested in the following products.

SKU (3M ID)	UPC Bill Unit	Prod No.	Item Description	Industry Typically Used*
70071696762	00076308942687	TR-300N+ ECK	3M™ Versaflo™ Easy Clean PAPR Kit TR-300N+ ECK 1 EA/Case	5
70071696770	00076308942694	TR-300N+ HIK	3M™ Versaflo™ Heavy Industry PAPR Kit TR-300N+ HIK 1 EA/Case	1,2,3
70071696788	00076308942700	TR-300N+ HKS	3M™ Versaflo™ Healthcare PAPR Kit TR-300N+ HKS, Small - Medium 1 EA/Case	4
70071696796	00076308942717	TR-300N+ HKL	3M™ Versaflo™ Healthcare PAPR Kit TR-300N+ HKL, Medium - Large 1 EA/Case	4
70071618444	00051131373754	TR-600-ECK	3M™ Versaflo™ Easy Clean PAPR Kit	5
70071618436	00051131373747	TR-600-HIK	3M™ Versaflo™ Heavy Industry PAPR Kit	1,2,3
70071675543	00051131274990	TR-600-HKS	3M™ Versaflo™ Healthcare PAPR Kit, S/M	4
70071675568	00051131275010	TR-600-HKL	3M™ Versaflo™ Healthcare PAPR Kit, M/L	4
Kit Product Numbers				
70071696739	00076308942656	TR-304N+	3M™ Versaflo™ PAPR Assembly TR-304N+, with Easy Clean Belt and Economy Battery 1 EA/Case	4,5
70071696747	00076308942663	TR-305N+	3M™ Versaflo™ PAPR Assembly TR-305N+, with Standard Belt and Economy Battery 1 EA/Case	1,2,3
70071696754	00076308942670	TR-306N+	3M™ Versaflo™ PAPR Assembly TR-306N+, with High Durability Belt and High Capacity Battery 1 EA/Case	1,2,3
70071696721	00076308942649	TR-307N+	3M™ Versaflo™ PAPR Assembly TR-307N+, with Easy Clean Belt and High Capacity Battery 1 EA/Case	4,5
Assembly Product Numbers				
70071618097	00051131373396	TR-613N	3M™ Versaflo™ PAPR Assembly with Standard Battery, BT-30 Breathing Tube and High Durability Belt	1,2,3
70071618105	00051131373402	TR-614N	3M™ Versaflo™ PAPR Assembly with Standard Battery, BT-30 Breathing Tube and Easy Clean Belt	4,5
70071618113	00051131373419	TR-616N	3M™ Versaflo™ PAPR Assembly with High Capacity Battery, BT-30 Breathing Tube and High Durability Belt	1,2,3
70071618121	00051131373426	TR-617N	3M™ Versaflo™ PAPR Assembly with High Capacity Battery, BT-30 Breathing Tube and Easy Clean Belt	4,5
70071675576	00051131275027	TR-614N-HK	3M™ Versaflo™ Healthcare PAPR Assembly TR-614-HK	4

*Industries: 1. Construction 2. Utilities 3. Heavy Manufacturing 4. Healthcare 5. Chemical/Pharmaceutical

▶ For more information, visit us at 3M.com/Versaflo



Weld with confidence.

When it comes to your team’s safety, you want only the highest quality welding products. But you also want your workers to be comfortable on the job. That’s why we have designed our 3M™ Speedglas™ Welding Helmets and 3M™ Adflo™ Powered Air Purifying Respirators to help protect eyes, lungs, hearing, head and more from everyday risks while also providing a lighter weight and more comfort. With our wide range of products, there is a right fit for almost any welding job and any experience level. 3M specialists will work with you to identify your specific safety needs and help you find the best solution at the right price point.

Integrated and versatile protection.

At 3M Speedglas, we take eye, face and respiratory protection extremely seriously. As one of the most popular respirators of its kind in the world, the 3M™ Adflo™ Powered Air Respirator, in conjunction with 3M™ Speedglas™ Welding Helmets, give welders reliable, versatile and integrated protection.

Now available with NEW 9100XXi Lens.



36-1101-30iSW



9100 FX-Air



Seeing is believing.

A new level of visibility and control.

Improved optics deliver more natural color and contrast, which may allow:

- ▶ **Better control of the weld puddle** with a view that appears lighter, brighter and more realistic
- ▶ **Greater precision** with set-up and finishing operations
- ▶ **Simplified workflow** with convenient, “gloves-on” memory mode switching – and a clearer view of welding machine controls

Check out more features of the 3M™ Speedglas™ Welding Helmet Series 9100XXi:


Top-of-the-line 9100XXi auto-darkening filter.

Side windows: Shade 5 filters for improved field of vision.

Seven dark shades, including 3, 5, 8-13 available for gas welding/cutting, micro-plasma or low-amp TIG.

Any shade can be “locked-in.” For example, you can lock-in the light state shade 3 for grinding.

Outstanding low-amp TIG performance, even on settings as low as 1 amp.



**Please refer to User Instructions*

Your new window to the world.

The 3M™ Speedglas™ Welding Helmet 9002NC is a welding helmet designed for rugged, reliable protection. Benefits include:

- ▶ Precision optics
- ▶ Comfortable suspension
- ▶ Slim fit
- ▶ Light weight at 17 oz.
- ▶ Simplified user interface system for easier operation



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com



*Customers in the following industries may be interested in the following products.

	SKU (3M ID)	UPC Bill Unit	Prod No.	Item Description	Qty/ Case	Industry Used*		
Helmets	70071688561	00051141564753	06-0100-30iSW	3M™ Speedglas™ Welding Helmet 9100, 06-0100-30iSW, with Auto-Darkening Filter 9100XXi	1/Case	1, 2, 3, 4, 5, 6		
	70071668993	00051141563619	06-0100-30QR	3M™ Speedglas™ Welding Helmet 9100 QR 06-0100-30QR, with Auto-Darkening Filter 9100XX and Hardhat H-701R	1/Case	① ② ③ ④ 5, 6		
	70071606316	00051131496750	06-0600-30SW	3M™ Speedglas™ Welding Helmet 9100 FX 06-0600-30SW, Side Windows Auto-Darkening Filter 9100XX Shade 5, 8-13	1/Case	1, 2, 3, 4, 5, 6		
	70071622974	00051141561042	06-0600-20HHSW	3M™ Speedglas™ Welding Helmet 9100 FX 06-0600-20HHSW, with Hard Hat, SideWindows and 3M™ Speedglas™ Auto-Darkening Filter 9100XX, Shades 5, 8-13	1/Case	① ② ③ ④ 5, 6		
	70071677309	00051131276079	04-0100-20NC	3M™ Speedglas™ Welding Helmet 9002NC 04-0100-20NC	1/Case	1, 2, 3, 4, 5, 6		
	70071533726	00051131372320	07-0012-31BL	3M™ Speedglas™ Welding Helmet 100 Black with Auto-Darkening Filter 100V 07-0012-31BL/37232(AAD)	1/Case	1, 2, 3, 4, 5, 6		
	70071564648	00051131495302	07-0012-31BL-HH	3M™ Speedglas™ Welding Helmet 100 Black 07-0012-31BL-HH, with Hard Hat, Hard Hat Adapter, and 3M™ Speedglas™ Auto-Darkening Filter 100V, Shades 8-12	1/Case	① ② ③ ④ 5, 6		
Helmet Accessories	9100 Series	70071688546	00051141564739	06-0000-30i	3M™ Speedglas™ Auto Darkening Filter 9100XXi 06-0000-30i, Shades 5, 8-13	1/Case	1, 2, 3, 4, 5, 6	
		70071510112	00051135893524	06-0000-30	3M™ Speedglas™ Auto Darkening Filter 9100XX 06-0000-30, Shades 5, 8-13	1/Case	1, 2, 3, 4, 5, 6	
		70071510104	00051135893517	06-0000-20	3M™ Speedglas™ Auto Darkening Filter 9100X 06-0000-20, Shades 5, 8-13	1/Case	1, 2, 3, 4, 5, 6	
		70071510088	00051135893494	06-0000-10	3M™ Speedglas™ Auto Darkening Filter 9100V 06-0000-10, Shades 5, 8-13	1/Case	1, 2, 3, 4, 5, 6	
		70071688553	00051141564746	06-0000-30i-KIT	3M™ Speedglas™ Auto Darkening Filter 9100XXi with Silver Front Panel, 06-0000-30i-KIT	1/Case	1, 2, 3, 4, 5, 6	
		70071564564	00051131495227	06-0014-00NR	3M™ Speedglas™ 9100 Hard Hat Adapter 06-0014-00NR, for 3M™ Speedglas™ Welding Helmet 9100 (Hard Hat not included)	1/Case	① ② ③ ④ 5, 6	
		70071606340	00051131496781	06-0700-54	3M™ Speedglas™ Wide-View Clear Grinding Visor 9100 FX/9100 FX-Air, 06-0700-54, Anti-Fog treated	5/Case	1, 2, 3, 4, 5, 6	
	9002NC	70071623386	00051141561417	06-0200-30	3M™ Speedglas™ Inside Protection Plate 9100XX 06-0200-30	5/Case	1, 2, 3, 4, 5, 6	
		70071623857	00051141561929	06-0200-51	3M™ Speedglas™ Welding Helmet Outside Protection Plate 9100 06-0200-51/37174(AAD)	10/Case	1, 2, 3, 4, 5, 6	
		70071677333	00051131276093	04-0000-21NC	3M™ Speedglas™ Welding Filter 9002NC 04-0000-21NC	1/Case	1, 2, 3, 4, 5, 6	
		70071564655	00051131495319	07-0014-00NR	3M™ Speedglas™ 100 Hard Hat Adapter, Welding Safety 07-0014-00NR, for 3M™ Speedglas™ Welding Helmet 100 Series (Hard Hat not included), Compatible with 9002NC	1/Case	① ② ③ ④ 5, 6	
		70071564556	00051131495210	04-0270-01	3M™ Speedglas™ Welding Helmet Outside Protection Plate 9000 04-0270-01	10/Case	1, 2, 3, 4, 5, 6	
		70071272895	50051131930358	04-0280-01	3M™ Speedglas™ Inside Protection Plate 9000XF 04-0280-01	5/Case	1, 2, 3, 4, 5, 6	
		70071622586	00051131372467	07-0001-31	3M™ Speedglas™ Auto-Darkening Filter 100V 07-0001-31/37246 (AAD), Variable Shade 8-12	1/Case	1, 2, 3, 4, 5, 6	
		100 Series	70071564655	00051131495319	07-0014-00NR	3M™ Speedglas™ 100 Hard Hat Adapter, Welding Safety 07-0014-00NR, for 3M™ Speedglas™ Welding Helmet 100 Series (Hard Hat not included)	1/Case	① ② ③ ④ 5, 6
			70071533825	50051131372431	07-0200-51	3M™ Speedglas™ Outside Protection Plate 100 07-0200-51/37243(AAD), Standard	10/Case	1, 2, 3, 4, 5, 6
			70071533833	50051131372448	07-0200-52	3M™ Speedglas™ Outside Protection Plate 100 07-0200-52/37244(AAD), Scratch Resistant	10/Case	1, 2, 3, 4, 5, 6
70071272911	50051131371366		04-0290-00	3M™ Speedglas™ Welding Helmet Inside Protection Plate 04-0290-00/37136(AAD)	5/Case	1, 2, 3, 4, 5, 6		
Welding P&SA Systems	Powered Air	70071688579	00051141564760	35-1101-30iSW	3M™ Adflo™ PAPR with 3M™ Speedglas™ Welding Helmet 9100-Air, 35-1101-30iSW, HE Filter, Li Ion Batt, ADF 9100XXi	1/Case	1, 2, 3, 4, 5, 6	
		70071676723	00051131275775	36-1101-30iSW	3M™ Adflo™ PAPR with 3M™ Speedglas™ Welding Helmet 9100 FX-Air, 36-1101-30SW, HE filter, Li Ion Batt, ADF 9100XXi	1/Case	1, 2, 3, 4, 5, 6	
		70071676731	00051131275782	37-1101-30iSW	3M™ Adflo™ PAPR with 3M™ Speedglas™ Welding Helmet 9100 MP, 37-1101-30SW, HE, Li Ion Battery, Hard Hat, ADF 9100XXi	1/Case	① ② ③ ④ 5, 6	
		70071623683	00051141561752	34-0905-SGXX	3M™ Adflo™ PAPR with 3M™ Helmet L-905SG, 34-0905-SGXX, Li Ion Batt, Welding Shield, Wideview Faceshield, ADF 9100XX	1/Case	① ② ③ ④ 5, 6	
	Supplied Air	70071623402	00051141561479	35-5401-01	3M™ Adflo™ Turbo Assembly 35-5401-01, Lithium Ion Battery	1/Case	1, 2, 3, 4, 5, 6	
		70071676106	00051141563817	26-5702-00SW	3M™ Speedglas™ FA III SAR with V-100 Valve and 3M™ Speedglas™ Welding Helmet 9100 FX-Air, 26-5702-00SW (No ADF)	1/Case	1, 2, 3, 4, 5, 6	
		70071621737	00051141558271	27-5702-00SWSR	3M™ Speedglas™ Fresh-Air III Supplied Air System with V-100SR Vortex Cooling Valve and 3M™ Speedglas™ Welding Helmet 9100MP, 27-5702-00SWSR, with Schrader Fitting, Hard Hat, SideWindows (Auto-Darkening Filter sold separately)	1/Case	1, 2, 3, 4, 5, 6	
	Choose your Lens to Complete Kit:	70071510088	00051135893494	06-0000-10	3M™ Speedglas™ Auto Darkening Filter 9100V 06-0000-10, Shades 5, 8-13	1/Case	1, 2, 3, 4, 5, 6	
		70071510104	00051135893517	06-0000-20	3M™ Speedglas™ Auto Darkening Filter 9100X 06-0000-20, Shades 5, 8-13	1/Case	1, 2, 3, 4, 5, 6	
		70071510112	00051135893524	06-0000-30	3M™ Speedglas™ Auto Darkening Filter 9100XX 06-0000-30, Shades 5, 8-13	1/Case	1, 2, 3, 4, 5, 6	
70071688546		00051141564739	06-0000-30i	3M™ Speedglas™ Auto Darkening Filter 9100XXi 06-0000-30i, Shades 5, 8-13	1/Case	1, 2, 3, 4, 5, 6		
70071268554	00051131371477	15-1101-99	3M™ Adflo™ High Efficiency Starter Kit 15-1101-99/37147(AAD)	1/Case	1, 2, 3, 4, 5, 6			
70071544624	50051131926009	15-0299-99×06	3M™ Adflo™ Powered Air Purifying Respirator (PAPR) High Efficiency Particulate Filter 15-0299-99X06	6/Case	1, 2, 3, 4, 5, 6			
70071544616	00051131371453	15-0299-99×02	3M™ Adflo™ Powered Air Purifying Respirator (PAPR) High Efficiency Particulate Filter 15-0299-99X02/37145(AAD)	2/Case	1, 2, 3, 4, 5, 6			
70071268497	50051131925989	15-0099-99×12	3M™ Adflo™ Prefilter 15-0099-99X12	12/Case	1, 2, 3, 4, 5, 6			
70071608171	50051131499015	15-0499-99×02	3M™ Adflo™ Replacement Cartridges 15-0499-99X02, Organic Vapor/Acid Gas(OV/SD/CL/HC)	2/Case	1, 2, 3, 4, 5, 6			
70071651973	00051141560816	35-0099-08	3M™ Adflo™ PAPR Battery Smart Charger 35-0099-08, for Lithium Ion Battery	1/Case	1, 2, 3, 4, 5, 6			
70071651981	00051141560823	35-1099-07	3M™ Adflo™ Powered Air Purifying Respiratory (PAPR) Battery, 35-1099-07, Lithium Ion	1/Case	1, 2, 3, 4, 5, 6			
70071563533	00051131173583	BPK-01	3M™ Versaflo™ Back Pack BPK-01 for TR-600/800 PAPR	1/Case	1, 2, 3, 4, 5, 6			
70071606852	00051131372689	SG-30W	3M™ Speedglas™ Self-Adjusting Breathing Tube SG-30W/37268(AAD)	1/Case	1, 2, 3, 4, 5, 6			
70071607975	00051131498709	SG-15	3M™ Speedglas™ Breathing Tube Cover SG-15	1/Case	1, 2, 3, 4, 5, 6			

*Industries: 1. Construction 2. Transportation 3. Heavy Manufacturing 4. General Manufacturing 5. Oil & Gas 6. Mining

① Focus industries for product's use.

**Apply to the 26-5702-00SW and the 27-5702-00SWSR.

Hearing protection for nearly every environment.

Ears come in a variety of sizes and shapes, and noise levels on the job vary depending on the work that is being done. Hearing protection solutions by 3M offer a wide range of shapes and sizes to fit workers' ears comfortably while offering protection for a wide range of noise levels.

3M™ E-A-R™ One Touch™ Pro Earplug Dispenser

Conveniently provide hearing protection where employees need it. The 3M™ One Touch™ Pro Earplug Dispenser dispenses one earplug at a time with a simple twist. No more expense and waste of individually wrapped plugs. Made from ABS recyclable plastic with a powder-coated steel back plate, it's designed for challenging environments — indoors and outdoors.



▶ Check out our video

▶ Learn more

E-A-Rfit™ Validation

Get results you can trust. The 3M™ E-A-Rfit™ Dual-Ear Validation System measures the attenuation of 3M earplugs and earmuffs worn by each worker, providing accurate, quantitative results. And because you can simultaneously test both ears, you'll have more time to educate employees on the importance of proper use and care of hearing protectors.



BLEND SUPPLY
DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES
817-529-7710 | orders@blendsupply.com

Hearing protection options to fit your needs.

3M has multiple options to help meet your needs. Below are the most common earplugs, and some key benefits:

Disposable

Disposable Foam Earplugs

- ▶ High NRR* for situations with high noise exposures
- ▶ Usually the lowest cost option
- ▶ Conforms comfortably to the unique shape of each ear

Reusable

Reusable Earplugs

- ▶ Designed for multiple uses
- ▶ Durable and washable with mild soap and water
- ▶ One size fits most

Push to Fit

Push-to-Fit Earplugs




- ▶ Quicker to insert than disposable foam earplugs
- ▶ More hygienic than roll down foam earplugs
- ▶ Moderate to high NRR*

Metal Detectable

Metal Detectable

- ▶ Helps prevent food contamination
- ▶ 3M offers the only metal detectable push-to-fit earplug
- ▶ Metal detectable cord available

Get enhanced protection and comfort with 3M™ PELTOR™ Earmuffs

	UPC Bill Unit	Prod No.	Item Description	Qty/Case	NRR*
PELTOR Earmuffs	 1-00-93045-93723-0	X1	3M™ PELTOR™ Earmuffs X1, Over-the-Head, Green	10 ea	22 dB
	The X1A is a lightweight, low-profile earmuff designed for protection against low-level industrial noise and other loud sounds. It features an electrically insulated wire headband, often referred to as "dielectric".				
	 1-00-93045-93726-1	X4	3M™ PELTOR™ Earmuffs X4, Over-the-Head, Light Green	10 ea	27 dB
Combines high attenuation with a sleek, low-profile and lightweight design. The innovative foam earcup inserts and spacers help boost attenuation while adding little bulk or weight helping this product have a great NRR* to thinness of cup ratio, great for those who have to work in tight spaces.					
 1-00-93045-93727-8	X5	3M™ PELTOR™ Earmuffs X5, Over-the-Head, Black	10 ea	31 dB	
For very high noise situations, no earmuffs in the market today offer a higher Noise Reduction Rating (NRR*) than X5. The high attenuation provided by these earmuffs is a result of the combination of specially-formulated foam in the earcups and cushions and the innovative spacer and cup design.					


















BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com

NOTE: Customers in the following industries may be interested in the following products: Construction, Utilities, Transportation (includes Heavy Manufacturing and Machinery), Government/Healthcare and Chemical/Pharmaceutical industries.

	UPC Bill Unit	Prod No.	Item Description	Qty/Case	NRR*	
Disposable		1-00-80529-10000-6	310-1001	3M™ E-A-R™ Classic™ Uncorded Earplugs 310-1001, in Pillow Pack	2000 ea/Case	29 dB
	Classic earplugs start out firm to allow for easy insertion, then soften from body heat to conform to the unique shape of each ear. This low-pressure foam formulation doesn't absorb moisture for a comfortable fit even in high heat and humidity. The PVC Material will not ignite when exposed to an arc flash.					
		1-00-80529-10052-5	310-1103	3M™ Classic™ Small Uncorded Earplugs 310-1103, in Pillow Pack	2000 ea/Case	29 dB
	Designed for smaller ears, the diameter of a Classic small earplug is 7% less than that of the Classic earplug (and the same length).					
		1-00-80529-10065-5	310-1250	3M™ E-A-Rsoft™ Yellow Neons™ Uncorded Earplugs 310-1250, in Pillow Pack Regular Size	2000 ea/Case	33 dB
Featuring a soft, slow-recovery foam, 3M™ E-A-Rsoft™ Yellow Neons™ earplugs have a smooth texture for in-ear comfort, are made for all-day wear and are available in two sizes. These high NRR* earplugs (33 dB) are an excellent choice for any hearing conservation program with high noise exposures.						
Reusable		5-00-51138-29008-0	1100	3M™ Uncorded Foam Earplugs 1100	1000 ea/Case	29 dB
	These economical, tapered earplugs are made with hypoallergenic foam that is designed to conform to the unique shape of each ear. 3M 1100 and 1110 earplugs start out firm, to make them easier to insert, then soften in the ear for a comfortable fit.					
		1-00-80529-12090-5	312-6001	3M™ E-A-Rsoft™ Grippers™ Corded Earplugs 312-6001	2000 ea/Case	31 dB
	Popular with people who have larger ear canals these earplugs have a unique grip rings help create a soft, noise-blocking seal for effective hearing protection and features a design that helps you remove the earplug from your ear.					
		5-00-51131-27515-2	340-3002	3M™ UltraFit™ Silicone Corded Earplugs, 340-3002, w/Carry Case, 80 pair/box, 4 boxes per case	320 pr/Case	24 dB
Designed for small to medium size ears and made from a durable soft silicone material this earplug easily adapts to the ear canal and can be washed and reused many times to help reduce waste. The three-flange design fits a wide range of ear canal sizes and a cloth cord for comfort and convenience. This product features a carry case to help you keep your earplugs clean and protected when not in use.						
Push to Fit		1-00-80529-40003-8	340-4004	3M™ E-A-R™ UltraFit™ Corded Earplugs 340-4004, in Poly Bag	400 ea/Case	25 dB
	A proven three-flange design and pliable, pre-molded material make UltraFit earplugs a good option for most ears. These durable earplugs are easy to use again and again, reducing waste. They can be cleaned easily with soap and water.					
		1-00-93045-98016-8	p3000	3M™ Tri-Flange™ Corded Earplugs P3000	400 ea/Case	26 dB
Soft, flexible flanges are designed to adapt to the shape of the ear canal to comfortably help reduce exposure to noise. The plastic stem allows the wearer to insert the earplugs quickly and easily without touching the premolded tips. Choose from a vinyl or cloth cord.						
Metal Detectable		1-00-80529-18000-8	318-1000	3M™ E-A-R™ Push-Ins™ Uncorded Earplugs 318-1000, in Poly Bag	400 ea/Case	28 dB
	Designed for a wide variety of ear canal sizes, no roll-down is required with these earplugs. A gentle push is all it takes for easy, consistent insertion. Blue stem helps make insertion and removal easy and helps keep the tips clean when the wearer's hands are dirty.					
		1-00-80529-11011-1	311-1115	3M™ E-A-R™ EXPRESS™ Pod Plugs™ Corded Earplugs Assorted Color Grips 311-1115, in Pillow Pack	400 ea/Case	25 dB
	The unique pod design of Express Pod Plugs earplugs allows the foam to compress easily so the earplug slides gently into the ear and expands slowly, helping to make an effective seal for most ear canals. The push to fit style makes the earplug insertion easier than a roll down foam earplug.					
Metal Detectable		1-00-93045-98014-4	p2000	3M™ No-Touch™ Foam Uncorded Earplugs P2000	400 ea/Case	29 dB
	These soft foam earplugs create a hygienic, noise-reducing seal in the ear with a smooth tapered shape and paddle stems. Push-to-fit design makes inserting hearing protection easier than roll down foam earplugs, because no roll down is required.					
		1-00-93045-92951-8	p1300	3M™ E-A-R™ Skull Screws™ Uncorded Earplugs P1300	480 ea/Case	32 dB
	Designed for a medium to large ear canals, these earplugs perform as tough as they look by providing excellent 32 dB NRR* with the benefits of a Push-to-Fit earplug. The metallic color makes the earplugs look solid, but they are made from ultra-soft foam that is designed to provide day long comfort. Grab the attention of your young workers with these radically designed earplugs and help boost hearing protection acceptance.					
Metal Detectable		1-00-80529-40004-5	340-4007	3M™ E-A-R™ UltraFit™ Metal Detectable Corded Earplugs 340-4007, in Poly Bag	400 ea/Case	25 dB
		1-00-80529-11042-5	311-4106	3M™ E-A-Rsoft™ Yellow Neons™ Metal Detectable Corded Earplugs 311-4106, in Poly Bag Regular Size	2000 ea/Case	32 dB
		1-00-80529-11052-4	311-1127	3M™ E-A-R™ EXPRESS™ Pod Plugs™ Corded Metal-Detectable Earplugs 311-1127, in Pillow Pack	400 ea/Case	25 dB
All metal detectable earplugs have a stainless steel bead encased in the earplug. Popular in food manufacturing industries, when contamination prevention is critical. Available in a variety of comfortable earplug styles to meet most wearer preferences and environmental needs.						

All 3M earplugs are offered corded and most are also offered uncorded.

***NOTE:** 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations.

Safety and productivity never sounded so good.

Quality hearing protection doesn't need to diminish communication within the team. 3M PELTOR Solutions help provide protection from potentially hazardous noise while opening up lines of communication between team members.

3M™ PELTOR™ WS™ LiteCom Pro III Headset.

Stay protected and connected.

The analog and digital two-way radio enables clear, hands-free communication in high levels of noise and integrates seamlessly into your existing two-way radio system. And with Bluetooth® multipoint functionality, workers can connect wirelessly to two mobile devices. Plus, workers stay protected, aware and able to communicate face-to-face without removing their hearing protection through level dependent functionality. And all of this technology is combined with the professional-grade durability and all day wearability you've grown to expect from 3M PELTOR.

3M™ PELTOR™ WS™ LiteCom Pro III Headset (I.S.)



Comfort options:
Headset is available in both headband, neckband and hard hat attached configurations.

Built-in programmable analog and digital two-way communication radio:
Headset-to-headset communication with ability to be integrated with similar professional radio communication systems. Up to 70 programmable radio channels.

Bluetooth® connectivity:
Multipoint, for simultaneous, seamless connection to external devices using Bluetooth® Technology.

User-friendly controls:
with voice guided menu.

Noise canceling, water and dust resistant speech microphone (IP67):
Helps provide clear communication in noisy and demanding environments.

Intrinsically Safe design (shown here).

Lightweight design
without cords to become tangled.

Limited one-year product warranty.

Keep headset in proper working order with replacement cushions and foam liners (hygiene kit available separately).

Stainless steel wire headband:
Offers comfortable and consistent pressure.

Rugged design:
Helps protect electronics from moisture.

Hearing protection:
Noise attenuating ear cups help provide hearing protection in environments with potentially hazardous noise.


Level dependent technology:
Environmental microphones for level-dependent hearing protection and ambient listening.

Voice operated transmission:
Voice operated transmission (VOX) for hands free operation in high noise environments.

Batteries:
Provide approximately 8 hours of continued use that can be increased up to 12 hours with the power save feature. Headset powers off after 2 hours of non-use to conserve batteries. Audio alert when battery is low.

Contact your 3M representative for more information on specific headsets.

3M™ PELTOR™ TEP-100 Tactical Earplug



Rechargeable:
Charging contacts recharge the unit while in the case. Li-ion battery provides up to 16 hours of continuous operation.

Button:
Intuitive, one-button operation turns unit on, off and selects volume settings.

Cord Connection:
Attachment point for optional ear plug cord (included).

Hearing Protection:
Replaceable communications eartip helps provide hearing protection in noisy environments. Multiple sizes and types designed to fit most ear canals.

Water Resistant:
Innovative design helps protect microphone against water ingress.

Design:
Corner radius designed to help soften contact zone and increase comfort.

Microphone Port:
Helps minimize wind noise.



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com








Ordering Information

*Customers in the following industries may be interested in the following products.

	Function	SKU (3M ID)	UPC Bill Unit	Prod No.	Item Description	Qty/Case	Industry Used*
LiteCom Plus		XH001680632	07318700063441	MT7H7A4610-NA	3M™ PELTOR™ Lite Com Plus Two Way Radio Headset, Headband, 1 EA/Case	1/Case	1, 2, 3
		XH001680657	07318720063469	MT7H7P3E4610-NA	3M™ PELTOR™ LiteCom Plus 2-Way Radio Headset, Hard Hat Attached 1 EA/Case	1/Case	1, 2, 3
WS LiteCom PRO III		UU008027813	07318640067134	MT73H7F4D10NA-50	3M™ PELTOR™ WS™ LiteCom PRO III 403-470MHz, Analog/Digital, Intrinsically Safe, NA version, Headband	1/Case	1, 2, 3, 5
		UU008027581	07318640067103	MT73H7A4D10NA	3M™ PELTOR™ WS™ LiteCom PRO III 403-470MHz, Analog/Digital, NA version, Headband	1/Case	1, 2, 3
		UU008027607	07318640067110	MT73H7B4D10NA	3M™ PELTOR™ WS™ LiteCom PRO III 403-470MHz, Analog/Digital, NA version, Neckband	1/Case	1, 2, 3
		UU008027839	07318640067141	MT73H7P3E4D10NA	3M™ PELTOR™ WS™ LiteCom PRO III 403-470MHz, Analog/Digital, NA version, Hard Hat Attached	1/Case	1, 2, 3, 5
TEP		70071656287	078371665258	TEP-100	3M™ PELTOR™ TEP-100 Tactical Earplugs Kit, 1 Kit EA/Case	1/Case	1, 3, 4
Protac III		UU004690622	4054596123229	MT13H221A	3M™ PELTOR™ ProTac™ III Headset, Black, Headband	1/Case	1, 2, 3
		UU004690614	4054596123250	MT13H221P3E	3M™ PELTOR™ ProTac™ III Headset, Black, Hard Hat Attached	1/Case	1, 2, 3
WS Protac XP		XH001679998	4046719668120	MT15H7AWS5-77	3M™ PELTOR™ WS™ ProTac™ XP Communication Headset featuring Bluetooth™ technology - Headband	1/Case	1, 2, 3
		XH001680269	4046719723584	MT15H7P3EWS5-77	3M™ PELTOR™ WS™ ProTac™ XP Communication Headset featuring Bluetooth™ technology-Hard Hat Attached	1/Case	1, 2, 3




*Industries: 1. Construction 2. Utilities 3. Transportation 4. Government/Healthcare 5. Chemical/Pharmaceutical
Transportation includes Heavy Manufacturing, Metal Fab, and Machinery

Find your function. (Color corresponds to the function in the above chart.)

 <p>Hearing protection with level-dependent function for environmental listening limited to max 82 dB</p>	 <p>Hearing protection with built-in two-way radio</p>	 <p>Hearing protection for communicating with external two-way radio</p>	 <p>Hearing protection with external audio input</p>	 <p>Bluetooth® technology</p>
--	---	---	---	--

Pick your team's protection.

Communication headsets from 3M are made with your employees in mind. That's why we have a variety of headsets and devices so that you can find the best solution for your workers. Communication headsets are available with headband, neckband, and hard hat attachments.

<p style="text-align: center;">Neckband</p> 	<p style="text-align: center;">Headband</p> 	<p style="text-align: center;">Hard Hat Attached</p> 
--	--	---

The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc.

3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in protector fit, fitting skill and motivation of the user. If the NRR is used to estimate typical workplace protection, 3M recommends that the NRR be reduced by 50% or more in accordance with applicable regulations



BLEND SUPPLY
DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES
817-529-7710 | orders@blendsupply.com



Secure fit. Without feeling tight.

3M™ SecureFit™ Eyewear

3M™ SecureFit™, patented Pressure Diffusion Temple technology, self-adjusts to the individual wearer, providing comfort that lasts all day. Optimized to allow a wide array of head sizes to feel nearly the same balance between security and comfort.



▶ [Click here to watch.](#)

Get comfortable with choices.

With our latest innovation in protective eyewear.

3M™ SecureFit™ Protective Eyewear family comes with a variety of features, because having options in protective eyewear can be critical. Workers can choose from several lens coating options, including 3M™ Scotchgard™ Anti-fog, multiple lens colors, and features like a removable foam gasket that combines with Pressure Diffusion Temple (PDT) Technology to create a secure and comfortable fit.



▶ [Click here to watch.](#)



3M™ SecureFit™ 200



3M™ SecureFit™ 400



3M™ SecureFit™ 600

Prod No.	SF201AF	SF401AF	SF601SGAF
Accessories SKU (3M ID)	—	 Gasket Available	 Gasket Available
3M™ Scotchgard™ Anti-fog	—		

Lens options (availability dependent on model):

- Clear
- Amber
- Low IR
- Readers +1.5
- Grey
- Polarized
- Shade 3.0
- Readers +2.0
- Indoor/Outdoor Grey
- Photochromic
- Shade 5.0
- Readers +2.5



NOTE: Customers in the following industries may be interested: Construction, Utilities, Transportation (includes Heavy Machinery), Government/Healthcare and Chemical/Pharmaceutical

Clearly better anti-fog performance.

3M™ Scotchgard™ Anti-Fog

A fogged lens can be frustrating and dangerous. Removing eyewear to wipe away fog can expose eyes to potentially dangerous workplace impact hazards and debris. The Scotchgard™ Anti-Fog coating resists fogging and abrasion longer than traditional anti-fog coatings – even after washing with water 25 times!



Available on:



3M™ Solus™ 1000



3M™ GoggleGear™ 500



3M™ GoggleGear™ 2890

Prod No.	S1101SGAF	GG501SGAF	GG2891-SGAF
Accessories SKU (3M ID)	 Gasket & Strap Available	 SRX Insert Available	—
3M™ Scotchgard™ Anti-fog			

3M offers a wide array of protective eyewear to fit the needs of your work and your style. For a complete list of product and ordering information, please visit 3M.com/workersafety



3M™ Eyewear Fit System

The 3M™ Eyewear Fit System introduces a simple method designed to help select the best fitting eye wear for each worker.

[▶ Learn more](#)



BLEND SUPPLY
DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES
817-529-7710 | orders@blendsupply.com

Lightweight helmets for heavy duty

3M Head Protection - 3M™ Hard Hat Series H-700 and H-800

With engineering advancements in suspension design, a lightweight shell, an optional patented UV indicator, and numerous customization options, the H-700 and H-800 help alleviate workers' frustrations with hard hats on the job. Used in industries such as Construction, Utilities, Transportation (includes Heavy Manufacturing and Machinery), Government/Healthcare and Chemical/Pharmaceutical, the H-700 and H-800 are the innovations in comfort and protection you expect from 3M.



Custom logo programs available



Optional 3M™ Scotchlite™ Reflective Material for enhanced visibility



H-700 Cap Style

▶ Watch our 3M™ H-700 Series Hard Hat Features & Benefits Video



Optional Uvicator™ Sensor lets wearer know when to replace hard hat due to UV exposure



Comfort and Security

A smooth, easy turning ratchet suspension system sits low on the head to reduce pressure, helping to make H-700 and H-800 series a comfortable and secure hard hat option.

Hard Hat Suspension



Optimized comfort with 3 levels of height adjustment



Absorbent brow pad provides comfort and ventilation



Optional 3M™ HIE6 Protective Eyewear is integrated directly into hard hat suspension



4- and 6-point suspension combinations



H-800 Full Brim



Optional venting encourages airflow

Available in New Temps

H-700T Available for Elevated Temperature

▶ Watch our 3M™ H-700T Elevated Temperature Hard Hat Product Highlight Video

Colors

- Red
- Yellow
- Orange
- Blue
- White
- Green
- Gray
- Hi Vis Yellow
- Hi Vis Orange
- Navy
- Tan
- Black
- Pink

- ▶ High Vis hard hat colors meet ANSI Z89.1-2014 High-Visibility Performance requirements
- ▶ Non-vented hard hats meet ANSI/ISEA Z89.1-2014 Type I, Class C, G and E requirements
- ▶ Vented hard hats meet ANSI/ISEA Z89.1-2014 Type I, Class C requirements

3M Face Protection

When used with additional PPE, the 3M line of headgear and visors can help defend the head and eyes against heat, debris and chemicals.


The 3M line of headgear and visors are designed to be durable and comfortable. The line features several interchangeable pieces for customization. Available features include ratchet suspension, anti-fog coating, multiple faceshield tint and material options, and easy assembly. All of our faceshields feature the reliability and performance you expect from 3M.

3M Headgear and Hard Hat Adapter



Prod No.	H8A	H24M	H24T*
SKU (3M ID)	70071513348	70071513371	70071694460
Industry Used**	1, 2, 3, 4, 5	1, 2, 3, 4, 5	1, 2, 3, 4, 5

*Available for elevated temperatures, H24T



Prod No.	WP96	WCP96	W96	WE96X	WP96AL	WCP96G	W96M	W96MW
SKU (3M ID)	70071522182	70071522125	70071522174	70071522042	70071513413	70071522141	70071513421	70071521937
Industry Used**	1, 2, 3, 4, 5	1, 2, 3, 4, 5	1, 2, 3, 4, 5	1, 2, 3, 4, 5	1, 2, 3, 4, 5	1, 2, 3, 4, 5	6	6

**Industries: 1. Construction 2. Utilities 3. Transportation (includes Heavy Manufacturing and Machinery) 4. Government/Healthcare 5. Chemical/Pharmaceutical. 6. Forestry
Customers in the preceding industries may be interested in these products.



Welcome to the 3M™ Hard Hat Customizer

This site helps you design and customize 3M hard hats for you and your workers.



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com



Safety as basic as the ABCs!

BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com

A typical Personal Fall Arrest System (PFAS) incorporates three components, often described as the ABC's of fall protection. The anchorage/ anchorage connector, body support and connecting device—when used together—form a complete system for maximum worker protection. But don't forget the other important components of a comprehensive fall protection program: descent and rescue, education and fall protection for tools.

Contact us for more information.

3M.com/FallProtection
800-328-6146 (Opt. 1)

A
Anchorage provide a secure point of attachment. Anchorage connectors vary by industry, job, type of installation and structure. They must be able to support the intended loads and provide a sufficient factor of safety for fall arrest.

B
Body support harnesses help distribute fall forces over the upper thighs, pelvis, chest and shoulders. They provide a connection point on the worker for the personal fall arrest system.

C
Connectors such as shock-absorbing lanyards or self-retracting lifelines connect a worker's harness to the anchorage.

D
Rescue and Descent devices are used to raise or lower a worker to safety or retrieve them from a confined space.

E
Education is essential. We offer a variety of training and consultative services to fit your needs.

F
Fall protection for tools helps make work environments safer and more productive by reducing dropped object incidents.



Ordering Information

*Customers in the following industries may be interested in the following products.

SKU (3M ID)	Product Number	Item Description	Qty/Case	Industry Used*
70007488110	7605060	3M™ DBI-SALA® EZ-Line™ Retractable Horizontal Lifeline System 7605060, 60 ft. (18.3 m)	1/Case	1, 3
A 70804485541	2104710	3M™ DBI-SALA® Sliding Beam Anchor 2104710, Small, 1 Each	1/Case	1, 3
70007439253	2000112**	3M™ DBI-SALA® Saflok™ Carabiner 2000112, Yellow Zinc	1/Case	1, 3
70007407805	1102000	3M™ DBI-SALA® Delta™ Vest-Style Harness 1102000, Yellow, Universal	1/Case	1, 3
70804487653	1161309	3M™ Protecta® Construction Style Positioning Harness 1161309, Black, Medium/Large 1 EA/Case	1/Case	1, 3
70007608444	9501403	3M™ DBI-SALA® Suspension Trauma Safety Straps 9501403, Black	1/Case	1, 3
70007426821	1113127	3M™ DBI-SALA® ExoFit NEX™ Construction Style Positioning Harness 1113127, Grey, Large	1/Case	1, 3
B 70007420345	1113124	3M™ DBI-SALA® ExoFit NEX™ Construction Style Positioning Harness 1113124, Grey, Medium	1/Case	1, 3
70007419701	1113007	3M™ DBI-SALA® ExoFit NEX™ Vest-Style Harness 1113007, Grey, Large	1/Case	1, 3
70007438503	1231117**	3M™ DBI-SALA® D-ring Extension 1231117, Yellow, 1.5 ft. (0.5 m)	1/Case	1, 3
70007412896	1107977	3M™ DBI-SALA® ExoFit™ Vest-Style Harness 1107977, Blue, Large	1/Case	1, 3
70007405429	1101655	3M™ DBI-SALA® Delta™ Construction Style Positioning Harness 1101655, Yellow, Large	1/Case	1, 3
70007458659	3590517	3M™ PROTECTA® Rebel™ Self Retracting Lifeline - Cable 3590517, Red, 20 ft. (6.1 m)	1/Case	1, 3
70007464913	3590500	3M™ PROTECTA® Rebel™ Self Retracting Lifeline - Cable 3590500, 33 ft. (10 m)	1/Case	1, 3
70007443966	3101277**	3M™ DBI-SALA® Nano-Lok™ Twin-Leg Quick Connect Self Retracting Lifeline - Web 3101277, 6 ft. (1.8 m)	1/Case	1, 3
70007444006	3101280**	3M™ DBI-SALA® Nano-Lok™ Twin-Leg Quick Connect Self Retracting Lifeline - Web 3101280, 6 ft. (1.8 m)	1/Case	1, 3
70007484259	6160054	3M™ DBI-SALA® Lad-Saf™ X3 Detachable Cable Sleeve 6160054	1/Case	1, 2, 3
70007479622	6160030	3M™ DBI-SALA® Lad-Saf™ X2 Detachable Cable Sleeve 6160030	1/Case	1, 2, 3
70007461885	3500231	3M™ DBI-SALA® Nano-Lok™ edge Twin-Leg Quick Connect Self Retracting Lifeline - Cable 3500231, Orange, 8 ft. (2.4 m)	1/Case	1, 3
70007465969	3590550	3M™ DBI-SALA® Rebel™ Self Retracting Lifeline - Cable 3590550, 50 ft. (15.2 m)	1/Case	1, 3
70007448536	1340161**	3M™ PROTECTA® PRO™ Stretch 100% Tie-Off Shock Absorbing Lanyard 1340161, Red, 6 ft. (1.8 m)	1/Case	1, 3
70007442976	3100425**	3M™ PROTECTA® Rebel™ Self Retracting Lifeline - Web 3100425, Red, 11 ft. (3.3 m)	1/Case	1, 3
C 70007444337	3101374**	3M™ DBI-SALA® Nano-Lok™ Tie-Back Twin-Leg Quick Connect Self Retracting Lifeline - Web 3101374, 9 ft. (2.7 m)	1/Case	1, 3
70007456570	3504430	3M™ DBI-SALA® Ultra-Lok™ Self Retracting Lifeline - Cable 3504430, 30 ft. (9.1 m)	1/Case	1, 3
70007461869	3500227	3M™ DBI-SALA® Nano-Lok™ edge Twin-Leg Quick Connect Self Retracting Lifeline - Cable 3500227, Orange, 8 ft. (2.4 m)	1/Case	1, 3
70007441796	1244412**	3M™ DBI-SALA® ShockWave™ 2 100% Tie-Off Shock Absorbing Lanyard 1244412, Yellow, 6 ft. (1.8 m)	1/Case	1, 3
70007441770	1244409**	3M™ DBI-SALA® ShockWave™ 2 100% Tie-Off Shock Absorbing Lanyard 1244409, Yellow, 6 ft. (1.8 m)	1/Case	1, 3
70007457198	3102100	3M™ DBI-SALA® Talon™ Twin-Leg Tie-Back Quick Connect Self Retracting Lifeline - Web 3102100, 7.5 ft. (2.3 m)	1/Case	1, 3
70007454237	3100414	3M™ PROTECTA® Rebel™ Twin-Leg Self Retracting Lifeline - Web 3100414, Red, 6 ft. (1.8 m)	1/Case	1, 3
70007454336	3100431	3M™ PROTECTA® Rebel™ Self Retracting Lifeline - Web 3100431, Red, 20 ft. (6.1 m)	1/Case	1, 3
70007456729	3504450	3M™ DBI-SALA® Ultra-Lok™ Self Retracting Lifeline - Cable 3504450, 50 ft. (15.2 m)	1/Case	1, 3
70007463022	3504433	3M™ DBI-SALA® Ultra-Lok™ Self Retracting Lifeline - Cable 3504433, 20 ft. (6.1 m)	1/Case	1, 3
D 70007489852	8300030	3M™ DBI-SALA® Advanced™ Aluminum Tripod with Winch 8300030 Silver, Black, Anodized Yellow, 60 ft. (18 m)	1/Case	1, 3
70007489712	8102001	3M™ DBI-SALA® Salalift™ II Winch 8102001, Black and Anodized Yellow, 60 ft. (18 m)	1/Case	1, 3

*Industries: 1. Construction 2. Utilities 3. Heavy Manufacturing 4. Oil & Gas 5. Wind Energy 6. Transportation

**Also used in industries such as Telecom, Electrical and Nuclear.

Everything you need to stop the drop.

Just like the ABC's of fall protection for workers, tools and objects require proper anchorage, connector and attachment points (body support). The tool tether is only one part of a complete Fall Protection for Tools 3-point system solution. You also need an attachment point and anchorage to ensure they're secure.

How to select a system:

There are many factors to be considered when selecting a system for any one worker's situation. This requires making specific determinations.

How heavy is the tool or equipment?

- ▶ Weight will help determine what kind of tether (connector), attachment point and anchorage should be used.
- ▶ Use a scale or check the manufacturer's specs to determine the weight of the tool.

A What's the anchor point?

- ▶ The weight and use of the tool are critical factors in this decision.
- ▶ On the body vs. off the body (It's recommended that tools over 5 lbs. (2.3 kg) should never be anchored to the body).

B What are the body support (attachment point) options?

- ▶ Depending on the tool, there may be more than one option.
- ▶ Some manufacturers may have attachment points engineered into the design of the tool.
- ▶ The correct attachment point should not interfere with tool use.

C What's the appropriate connector for the tool?

- ▶ Usually there is more than one option—one size does not fit all.
- ▶ Connectors should not interfere with tool use.



[Watch 3M™ DBI-SALA® Fall Protection for Tools in action.](#)

Contact your 3M Fall Protection sales representative about our Dropped Object Competent Person training course, or request a 3M™ DBI-SALA® Fall Protection for Tools catalog.



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com



BLEND SUPPLY
 DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES
 817-529-7710 | orders@blendsupply.com

NOTE: Customers in the following industries may be interested in the following products: Construction, Utilities, Heavy Manufacturing, Oil & Gas, Wind Energy, Transportation, Telecom, Electrical and Nuclear.



Iron Worker



Scaffold Worker



Boiler Maker

	SKU (3M ID)	Prod No.	Item Description
Iron Worker	70804440215	1500173	3M™ DBI-SALA® Quick Wrap Tape II – Blue 2x length 1" x 216"
	70804436940	1500161	3M™ DBI-SALA® Harness Adapter
	70007437695	1500015	3M™ DBI-SALA® V-Ring Double Tool Cinch Attachment. For use with Beater Hammer and Sleever/Pry Bar.
	70804436916	1500156	3M™ DBI-SALA® 5 lb. Tool Retractor. For use with Beater Hammer.
	70007448809	1500003	3M™ DBI-SALA® D-Ring. For use with Spud Wrench and Bull Pin.
	70007449047	1500047	3M™ DBI-SALA® Hook2Loop Bungee. For use with Spud Wrench, Bull Pin and Sleever/Pry Bar.
Scaffold Worker	70804440215	1500173	3M™ DBI-SALA® Quick Wrap Tape II – Blue 2x length 1" x 216"
	70007448809	1500003	3M™ DBI-SALA® D-Ring. For use with Socket Ratchet, Pry Bar, Large Pry Bar and Wire Nippers.
	70804431230	1500159	3M™ DBI-SALA® Hook2Hook Coil Tether with Swivel. For use with Pry Bar.
	70007449047	1500047	3M™ DBI-SALA® Hook2Loop Bungee. For use with Large Pry Bar.
	70007448841	1500007	3M™ DBI-SALA® D-Ring. For use with Steel Hammer.
	70007448858	1500009	3M™ DBI-SALA® D-Ring. For use with Level.
	70007449351	1500109	3M™ DBI-SALA® Dual Tool Holster with Retractors. For use with Level.
Boiler Maker	70804440215	1500173	3M™ DBI-SALA® Quick Wrap Tape II – Blue 2x length 1" x 216"
	70007437695	1500015	3M™ DBI-SALA® V-Ring Double Tool Cinch Attachment. For use with Sleever Bar.
	70007449047	1500047	3M™ DBI-SALA® Hook2Loop Bungee. For use with Sleever Bar, Beater Hammer and Spud Wrench.
	70007448874	1500013	3M™ DBI-SALA® V-Ring Single Tool Cinch Attachment. For use with Beater Hammer.
	70007448841	1500007	3M™ DBI-SALA® D-Ring 5lb D-Ring. For use with Spud Wrench.
	70007448809	1500003	3M™ DBI-SALA® D-Ring. For use with Bull Pin.
	70804431230	1500159	3M™ DBI-SALA® Hook2Hook Coil Tether with Swivel. For use with Bull Pin.

For other craft solutions contact us at 800-328-6146, option 1 or inside sales at: insidesales-fp@mmm.com



Tailored for the way you work.

Designed for reliable protection and comfort – all shift long! 3M™ Protective Apparel includes a variety of features, from fabrics with specialized treatments for enhanced wear and added protection, to breathable back panels for increased comfort.

▶ [Click here to view our Full Benefits video!](#)

Check out our features and benefits on the 3M™ Disposable Protective Coverall 4540+



Whole suit tested

Simulated workplace conditions that test coverall performance as designed and constructed, not just fabric tests.

Two-way zip

Sealable storm flap for protection from contaminants

Knitted cuffs

For increased wearer comfort

Anatomical design and fit

For optimal wear, coverage and comfort



3-Panel hood

Provides improved fit and comfort

Breathable back panels

For comfort in hot environments

Elastic waist

Helps increase comfort and mobility

Extra material in arms and legs

Helps increase freedom of movement

View our Testimonial videos!

▶ [Comfort](#) ▶ [Breathability](#) ▶ [Protection](#)

Selection Guide by Application

Click on photos to view web content.

- Suggested
- Possible alternative

	4510	4520	4535	4540+
Certification	▶ Limited splash ▶ Particle ▶ Anti-static*	▶ Limited splash ▶ Particle ▶ Anti-static	▶ Limited splash ▶ Particle ▶ Anti-static	▶ Limited splash ▶ Particle ▶ Anti-static
▶ Abatement/remediation				
Exposure to radioactive particles	○	○	○	○
Mold remediation/mold spores	○	●	○	○
Asbestos inspection, site preparation	○	●	○	○
Asbestos removal	○	○	○	○
▶ Agriculture				
Fertilizer application (dry/granular)	○	○	○	○
Animal waste (solid)		○		
Pesticide spraying ¹			○	
▶ Pharmaceutical/clean room				
Pharmaceutical processing	○	○	○	○
Handling powders	○	○	○	○
Clean rooms	○			○
▶ Painting				
Spray Painting	●		●	●
Resin application	●		●	●
Fiberglass application	●		●	●
▶ Cleaning and maintenance				
Dirt		○		
Machine or vehicle maintenance	○	○	○	○
Light duty building maintenance	○	○		
Grease (general)	○	○	○	○
▶ General industry				
Electronics/circuit board assembly ²		●		
Fiberglass/cellulose insulation installation	○	●	○	○
Food processing	○	○	○	○
General powder handling	○	○	○	○
Lime handling		○		
Woodworking		●		
Non-hazardous aerosols (sprays)	○	○	●	○
Non-hazardous liquids	○	○	●	○
Non-hazardous solids		○		
Coal dust	○	○	○	○

¹ Refer to pesticide manufacturer's recommendations for appropriate level of liquid/particulate protection.

² For applications conducted in a controlled environment refer to "Cleanroom Applications".

* All apparel must be suitably grounded for anti-static treatment to be effective.



BLEND SUPPLY
 DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES
 817-529-7710 | orders@blendsupply.com

NOTE: Customers in the following industries may be interested in the following products: Transportation (includes Heavy Manufacturing and Machinery) and Chemical/Pharmaceutical industries.

	SKU (3M ID)	UPC Bill Unit	Product Name/Number/Item Description	Quantity/Case
4510	XL457000013	00051131497887	3M™ Disposable Protective Coverall 4510-BLK-M (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
	XL457000021	00051131497894	3M™ Disposable Protective Coverall 4510-BLK-L (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
	XL457000039	00051131497900	3M™ Disposable Protective Coverall 4510-BLK-XL (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
	XL457000047	00051131497917	3M™ Disposable Protective Coverall 4510-BLK-XXL (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
	XL457000054	00051131497924	3M™ Disposable Protective Coverall 4510-BLK-3XL (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
	XL457000062	00051131497931	3M™ Disposable Protective Coverall 4510-BLK-4XL (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
4520	GT500083131	04046719632633	3M™ Disposable Protective Coverall 4520-BLK-M (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
	GT500083123	04046719632640	3M™ Disposable Protective Coverall 4520-BLK-L (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
	GT500083149	04046719632664	3M™ Disposable Protective Coverall 4520-BLK-XL (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
	GT500083156	04046719632671	3M™ Disposable Protective Coverall 4520-BLK-XXL (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
	GT500083164	04046719632688	3M™ Disposable Protective Coverall 4520-BLK-3XL (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
	GT500083115	04046719632749	3M™ Disposable Protective Coverall 4520-BLK-4XL (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white)	25/Case
4535	GT700004747	04046719468171	3M™ Disposable Chemical Protective Coverall 4535-M (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	20/Case
	GT700004754	04046719468225	3M™ Disposable Chemical Protective Coverall 4535-L (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	20/Case
	GT700004762	04046719468249	3M™ Disposable Chemical Protective Coverall 4535-XL (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	20/Case
	GT700004770	04046719468263	3M™ Disposable Chemical Protective Coverall 4535-XXL (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	20/Case
	GT500085300	50051141558795	3M™ Disposable Chemical Protective Coverall 4535-3XL (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	20/Case
	GT500085318	50051141558801	3M™ Disposable Chemical Protective Coverall 4535-4XL (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	20/Case
4540+	XL457000195	00051131498068	3M™ Disposable Protective Coverall 4540+BLK-M (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	25/Case
	XL457000203	00051131498075	3M™ Disposable Protective Coverall 4540+BLK-L (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	25/Case
	XL457000211	00051131498082	3M™ Disposable Protective Coverall 4540+BLK-XL (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	25/Case
	XL457000229	00051131498099	3M™ Disposable Protective Coverall 4540+BLK-XXL (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	25/Case
	XL457000237	00051131498105	3M™ Disposable Protective Coverall 4540+BLK-3XL (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	25/Case
	XL457000245	00051131498112	3M™ Disposable Protective Coverall 4540+BLK-4XL (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white)	25/Case

Helping employers protect lives through trusted reflective innovation.

Our Promise:

3M is a pioneer in developing the science behind retroreflection and has been advancing the technology in new and groundbreaking ways for over 70 years. We continue to make advancements in reflective material innovations and help play a longstanding role in on-the-job safety.

Compliance across industries.

High Visibility Clothing Options - made with 3M™ Scotchlite™ Reflective Material.

Resources and education.

ANSI/ISEA 107-2015 Standard Changes

Federal safety regulations requires that employers perform a low visibility risk assessment for every job function on a worksite exposed to vehicle and/or equipment traffic. Are you compliant with OSHA Hazard Assessment Requirements?

See how the New ANSI/ISEA 107-2015 standard changes may impact your High Visibility garment choices: <https://www.3M.com/ANSIMadeEasier>

3M High Visibility Hazard Assessment

Learn more about 3M High Visibility materials and access our assessment tool by visiting our website: <https://highvisibilityassessment.3m.com/HSS>



Oil and Gas



Firefighting



Mining



Construction



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com



BLEND SUPPLY

DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES

817-529-7710 | orders@blendsupply.com

NOTE: Customers in the following industries may be interested in the following products: Oil & Gas, Firefighting, Mining, Construction.

How 3M™ Scotchlite™ Reflective Material Works:

Retroreflectivity helps the eye perceive objects in low-light conditions when illuminated by a light source. In more scientific terms, retroreflection occurs when light rays are returned in the direction from which they came. Retroreflective materials appear brightest to an observer located near the original light source.



Visible value. Without comparison.

3M™ Scotchlite™ Reflective Material - 5410 Diamond Mesh Trim is a revolutionary leap in performance and design, delivering compliant visibility with breathability and durability - to help keep your guys comfortable and safe while they work. Created with a patent-pending 3M cut and spread technology, the interstitial weeding process and related waste is eliminated to create a resource-efficient, lower-cost trim without sacrificing visibility.


Learn more at: 3M.com/DiamondMesh



Important Notice: This guide is only an outline. It should not be used as the only means for selecting protective clothing. Before using any protective clothing, the wearer must read and understand the user instructions for each product. Specific country legislation must be observed. If in doubt, contact a safety professional. Selection of the most appropriate PPE will depend on the particular situation and should only be made by a competent person knowledgeable of the actual working conditions and the limitations of PPE.

Final determination as to the suitability of these products for a particular situation is the employer's responsibility. This information is subject to revision at any time. Always read and follow all User Instructions supplied with your 3M™ Protective Coveralls in order to ensure correct operation. If you have questions contact 3M Technical Service.

LIMITATION OF LIABILITY: Except as provided above, 3M shall not be liable or responsible for any loss or damage, whether direct, indirect, incidental, special or consequential arising out of the sale, use or misuse of 3M PSD products, or the user's inability to use such products. THESE REMEDIES SET FORTH HEREIN ARE EXCLUSIVE.

 **▲WARNING**

These respirators help reduce exposures to certain airborne particulates. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in injury, illness or death. For correct use, consult supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

▲WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury.

3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations.

▲WARNING

Compliant fall protection and emergency rescue systems help prevent serious injuries associated with fall events. Users must read and understand the User Instructions provided with the product, and must be properly trained by their employers in the safe use of these systems before using them, per OSHA 1910.140 and 1926.503 or applicable local standards. Misuse or failure to follow warnings and instructions may result in serious personal injury or death. For correct use, see supervisor, User Instructions, or call 800-328-6146 (Opt. 1).

▲WARNING


3M™ Hard Hat H-700 Series and 3M™ Hard Hat H-800 Series provides limited protection only. Misuse or failure to following warnings and User Instructions may result in serious personal injury or death. For proper use see supervisor, User Instructions or call 3M Personal Safety Division (PSD) Technical Service at 800-243-4630 (USA) or 800-267-4114 (Canada).

▲WARNING

These products meet the requirements of certain industrial eyewear standards and with some models certain industrial head protection standards. They do not provide complete head, eye and face protection from severe impact and penetration and are not a substitute for good safety practices and engineering controls. **Misuse may result in serious injury or death.** For correct use, see supervisor and User Instructions, or call 3M PSD Technical Service.

▲WARNING

This product is designed to help protect the wearer's eyes and face from harmful radiation including visible light, ultra-violet radiation (UV), infra-red radiation (IR), sparks and spatter resulting from welding processes. These products must be used only by qualified persons who are properly trained in their use and maintenance. **Misuse may result in permanent eye injury and vision loss.** Always wear ANSI Z87.1 compliant safety spectacles in addition to any welding helmet. For correct use, see supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

 **▲WARNING**

These respirators help protect against certain airborne contaminants. **Misuse may result in sickness or death.** For proper use, the wearer must read and understand User Instructions provided as part of the product packaging, see supervisor, or call 3M PSD Technical Service at 1-800-243-4630. Time use limitations may apply.

Important – Before using these respirators, you must determine the following:

1. The type of contaminant(s) for which the respirator is being selected.
2. The concentration level of contaminant(s).
3. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use.

Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training and fit testing.



3M General Offices

3M Center, Building 235-2W-1000
St. Paul, MN 55144-1000
3M.com/PersonalSafety

3M Canada Company PSD

P.O. Box 5757
London, Ontario N6A 4T1
Canada

For More Information

Technical Assistance in US
1-800-243-4630
Technical Assistance in Canada
1-800-267-4414
www.3m.com/workersafety

3M PSD products are for occupational use only.



BLEND SUPPLY
DISTRIBUTOR OF COATINGS, TOOLS & REFINISH SUPPLIES
817-529-7710 | orders@blendsupply.com